EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	110	@ad<"20010613" "x.25" re-establish$3 wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/08 12:14
L2	2	@ad<"20010613" "x.25" re-establish$3 wireless 709/230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/06/08 12:17
S2	79	reconnect$4 @ad<"20010613" host ticket validate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:19
S3	0	reconnect$4 @ad<"20010613" host ticket validate first adj0 connect$4 second adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:20
S4	5	reconnect$4 @ad<"20010613" host ticket validate initial adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:21
S5	5	reconnect$4 @ad<"20010613" reliable host ticket validate initial adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:22
S6	1	reconnect$4 @ad<"20010613" reliable persistent host ticket validate initial adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:22
S7	16	@ad<"20010613" first adj0 connect$4 host protocol validate re-establish$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 08:34

S8	2	@ad< "20010613" first adj0 connect$4 host protocol validate re-establish$4 second adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:28
S9	0	@ad< "20010613" first adj0 connect$4 host protocol adj0 service validate re-establish$4 second adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:31
S10	4	@ad< "20010613" first adj0 connect$4 host protocol adj0 service validate re-establish$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:31
S14	0	@ad< "20010613" first adj0 connect$4 host protocol validate connect$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:39
S15	10	@ad< "20010613" connect$4 host protocol validate connect$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:39
S16	10	@ad< "20010613" multiple with connect$4 host protocol validate connect$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:45
S17	0	@ad< "20010613" multiple adj0 connect$4 host protocol validate connect$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:53
S18	0	@ad< "20010613" multiple adj0 connect$4 host protocol connect$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:53
S19	4	@ad< "20010613" multiple adj0 connect$4 host protocol disrupt$ adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:54

S20	6	@ad< "20010613" connect$4 mobile host protocol disrupt$ adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:27
S21	0	@ad< "20010613" connect$4 mobile host protocol disrupt$ adj0 connect$4 CDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:30
S22	802	@ad< "20010613" connect$4 mobile host protocol CDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:30
S23	34	@ad< "20010613" connect$4 mobile host protocol CDMA re-establish	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:30
S24	33	@ad< "20010613" connect$4 mobile host protocol CDMA re-establish multiple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:31
S25	0	@ad< "20010613" connect$4 mobile host protocol CDMA re-establish multiple adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:31
S26	33	@ad< "20010613" connect$4 mobile host protocol CDMA re-establish multiple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:31
S27	12	@ad< "20010613" connect$4 mobile host protocol CDMA session adj0 identif $6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:44
S28	10	@ad< "20010613" connect$4 mobile multiple host protocol CDMA session adj0 identif$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:44

S29	133	@ad< "20010613" connect$4 mobile multiple host protocol session adj0 identif$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:53
S30	12	@ad< "20010613" mobile multiple adj0 connect$4 host protocol session adj0 identif$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:54
S31	36	@ad< "20010613" multiple adj0 connect$4 host protocol session adj0 identif$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:57
S32	0	reconnect$4 @ad< "20010613" reliable persistent multiple with host ticket validate initial adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 11:43
S33	12	@ad< "20010613" multiple adj0 server $3 connect$4 host protocol disrupt$ adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 11:44
S34	1	@ad< "20010613" multiple adj0 server $3 connect$4 host protocol disrupt$ adj0 connect$4 re-establish	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 11:47
S35	7	reconnect$4 @ad< "20010613" host re-authenticat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 14:18
S36	117	@ad< "20010613" connect$4 mobile host protocol CDMA "709"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/26 10:44
S37	12	@ad< "20010613" connect$4 mobile host protocol CDMA 709/230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/26 10:44

S38	72	@ad< "20010613" connect$4 mobile host protocol CDMA re-establish$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:34
S39	2	@ad< "20010613" connect$4 mobile host protocol CDMA re-establish$3 709/230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:34
S40	0	@ad< "20010613" connect$4 mobile host protocol CDMA re-establish$3 distrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:35
S41	36	@ad< "20010613" connect$4 mobile host protocol CDMA re-establish$3 disconnect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:35
S42	3	@ad< "20010613" connect$4 mobile host protocol CDMA re-establish$3 same disconnect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:35
S43	0	@ad< "20010613" connect$4 mobile host protocol CDMA re-establish$3 same disconnect$3 709/230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:36
S44	94	@ad< "20010613" first adj0 connect$4 re-establish$4 with connect$4 second adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:27
S45	11	@ad< "20010613" first adj0 connect$4 re-establish$4 with connect$4 second adj0 connect$4 maintain$3 with second	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:27
S46	1	@ad< "20010613" first adj0 connect$4 re-establish$4 with client with connect$4 second adj0 connect$4 maintain$3 with second	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:29

S47	0	@ad<"20010613" client adj5 connect$4 re-establish$4 adj5 client adj4 connect $4 host adj0 connect$4 maintain$3 with host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:31
S48	3	@ad<"20010613" client adj5 connect$4 re-establish$4 adj5 client adj4 connect $4 server adj0 connect$4 maintain$3 with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:31
S49	3	@ad<"20010613" client adj5 connect$4 re-establish$4 adj5 client adj4 connect $4 maintain$3 with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:38
S50	0	@ad<"20010613" client adj5 connect$4 re-establish$4 adj5 client adj4 connect $4 maintain$3 with host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:38
S51	2	@ad<"20010613" client adj5 connect$4 re-establish$4 adj5 client adj4 connect $4 maintain$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:39
S52	0	@ad<"20010613" client adj5 link$4 re-establish$4 adj5 client adj4 link$4 maintain$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:39
S53	6	@ad<"20010613" client adj5 link$4 re-establish$4 adj5 client maintain$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:40
S54	0	@ad<"20010613" client adj5 link$4 re-coonect$4 adj5 client maintain$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:43
S55	0	@ad<"20010613" client adj5 link$4 re-connect$4 adj5 client maintain$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:43

S56	0	@ad< "20010613" client adj5 link$4 re-connect$4 adj5 client maintain$3 with connect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:43
S57	3	@ad< "20010613" client adj5 connect$4 re-connect$4 adj5 client maintain$3 with connect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:43
S58	0	@ad< "20010613" validat$4 with ticket re-established with connect$4 maintain$3 with connect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 15:52
S59	0	@ad< "20010613" validat$4 with ticket re-establish$3 with connect$4 maintain$3 with connect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 15:53
S60	0	@ad< "20010613" validat$4 with ticket re-establish$3 with connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 15:53
S61	27	@ad< "20010613" validat$4 with key re-establish$3 with connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 15:53
S62	1965	"x.25" protocol validat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:22
S63	15	@ad< "20010613" validat$4 with key re-establish$3 with connect$4 "x.25" protocol validat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:23
S64	3	@ad< "20010613" validat$4 with key disrupt$3 re-establish$3 with connect$4 "x.25" protocol validat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:29

S65	97	@ad< "20010613" disrupt$3 re-establish$3 "x.25" protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:31
S66	2	@ad< "20010613" disrupt$3 same re-establish$3 "x.25" protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:33
S67	62	@ad< "20010613" re-establish$3 with connect$3 "x.25" protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:35
S68	131	@ad< "20010613" SID "x.25" protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:50
S69	63	@ad< "20010613" SID "x.25" protocol recover$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:51
S70	38	@ad< "20010613" stream adj4 identif$4 "x.25" protocol recover$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:52
S71	16	@ad< "20010613" stream adj4 identif$4 "x.25" protocol recover$3 pstn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 17:10
S72	16	@ad< "20010613" stream adj4 identif$4 "x.25" protocol recover$3 pvc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:21
S73	16	@ad< "20010613" stream adj4 identif$4 "x.25" protocol recover$3 pvc map$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:22

S74	0	@ad<"20010613" stream adj4 identif$4 "x.25" protocol connect$4 with recover $3 pvc map$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:23
S75	17	@ad<"20010613" stream adj4 identif$4 "x.25" channel with recover$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:25
S76	193	@ad<"20010613" "x.25" channel with recover$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:26
S77	2	@ad<"20010613" "x.25" channel with recover$3 session adj0 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:27
S78	0	@ad<"20010613" "x.25" channel with recover$3 session adj0 identifier with (map$4 or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:28
S79	1	@ad<"20010613" "x.25" channel with recover$3 session adj0 identifier (map $4 or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:28
S80	5	@ad<"20010613" channel with recover $3 session adj0 identifier (map$4 or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:29
S81	13	@ad<"20010613" channel with recover $3 session adj0 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:41
S82	6	@ad<"20010613" connect$4 with recover$3 session adj0 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:42

S83	3	@ad< "20010613" connect$4 with recover$3 session adj0 identifier (map $4 or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:43
S84	44	@ad< "20010613" permanent adj0 virtual adj0 circuit connect$4 with recover$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 10:21
S85	3	@ad< "20010613" permanent adj0 virtual adj0 circuit connect$4 with recover$3 with map$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 10:23
S86	3	@ad< "20010613" permanent adj0 virtual adj0 circuit connect$4 with recover$3 with map$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 10:23
S87	0	@ad< "20010613" "x.25" re-establish with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:35
S88	0	@ad< "20010613" "x.25" re-establish$3 with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:35
S89	0	@ad< "20010613" "x.25" re-connect$3 with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:35
S90	11	@ad< "20010613" "x.25" (re-establish $3 or re-connect) same identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:36
S91	1	@ad< "20010613" "x.25" (re-establish $3 or re-connect) same identifier same validat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:40

S92	0	@ad<"20010613" "x25" (re-establish$3 or re-connect) same identifier same validat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:56
S93	0	@ad<"20010613" "x-25" (re-establish$3 or re-connect) same identifier same validat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:56
S94	1	@ad<"20010613" "x.25" (re-establish$3 or re-connect) same identifier same validat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:56
S95	594	@ad<"20010613" "x.25" recover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:56
S96	1135	@ad<"20010613" "x.25" recover$2 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:57
S97	673	@ad<"20010613" "x.25" recover$2 connect$4 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:57
S98	341	@ad<"20010613" "x.25" recover$2 connect$4 identifier validat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:57
S99	37	@ad<"20010613" "x.25" recover$2 connect$4 identifier same validat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:57
S100	2	@ad<"20010613" "x.25" recover$2 with connect$4 identifier same validat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 12:00
S101	8	("5251207" | "5490140" | "5490141" | "5521909" | "5533017" | "5535199" | "5600798" | "5734654").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/16 12:02

S102	4	@ad< "20040924" "x.25" recover$2 with connect$4 identifier same validat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 12:06
S103	1	@ad< "20040929" "x.25" (re-establish $3 or re-connect) same identifier same validat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 12:08
S104	133	@ad< "20010613" "x.25" server with replac$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:24
S105	8	@ad< "20010613" "x.25" server with replac$5 with device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:25
S106	3	@ad< "20010613" "x.25" (server with replac$5 with device).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:25
S107	0	@ad< "20010613" "x.25" (server with interchang$3 with device).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:26
S108	0	@ad< "20010613" "x.25" PSTN (server with interchang$3 with device).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:28
S109	2	@ad< "20010613" "x.25" (host with connects with device).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:29
S110	1245	@ad< "20010613" "x.25" pstn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:31

S111	0	@ad< "20010613" "x.25" server adj3 replaces adj5 tower	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:32
S112	0	@ad< "20010613" "x.25" node adj3 replaces adj5 tower	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:32
S113	273	@ad< "20010613" "x.25" host with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:50
S114	128	@ad< "20010613" "x.25" host with client "709"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:50
S115	1	@ad< "20010613" "x.25" host with mobile adj0 device client "709"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:51
S116	2	@ad< "20010613" "x.25" host with mobile adj0 device client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:52
S117	1	@ad< "20010613" "x.25" host with network with mobile adj0 device client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:53
S118	37	@ad< "20010613" "x.25" changeover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 15:06
S119	0	@ad< "20010613" "x.25" host adj3 changeover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 15:22

S120	2	@ad< "20010613" "x.25" host with changeover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 15:22
S121	9	@ad< "20010613" "x.25" deleting with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:01
S122	1	@ad< "20010613" "x.25" deleting with identifier same predetermined	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:01
S123	3	@ad< "20010613" communications adj3 network deleting with identifier same predetermined with time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:02
S124	1	@ad< "20010613" communications adj3 network (deleting with identifier same predetermined with time).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:02
S125	0	@ad< "20010613" communications adj3 network (deleting with ticket same predetermined with time).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:03
S126	0	@ad< "20010613" communications adj3 network (removing with ticket same predetermined with time).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:04
S127	0	@ad< "20010613" communications adj3 network (removing with identifier same predetermined with time).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:04
S128	0	@ad< "20010613" communications adj3 network (erasing with identifier same predetermined with time).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:04

| S129 | 4 | @ad<"20010613" ((deleting or removing or erasing) with identifier same predetermined with time).bsum. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/12/16 16:04 |

6/8/2010 12:18:52 PM
C:\Documents and Settings\ovostal\My Documents\EAST\Workspaces\10711646.wsp